

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

COB LED Workshop Lamp (BGS 85345)
Article number: 85345

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

See product information.

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company

BGS technic KG
Bandwinkerstr. 3
42929 Wermelskirchen / GERMANY
Phone +49 (0)2196 72048-0
Fax +49 (0)2196 72048-20
Homepage www.bgstechnic.com
E-mail mail@bgs-technic.de

Address enquiries to

Technical information

mail@bgs-technic.de

Safety Data Sheet

sdb@chemiebuero.de (No dispatch of safety data sheets)

Safety data sheets are available from the supplier.

1.4 Emergency telephone number

Advisory body

+49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

Skin Irrit. 2: H315 Causes skin irritation.
Skin Sens. 1: H317 May cause an allergic skin reaction.
Eye Dam. 1: H318 Causes serious eye damage.
Carc. 1A: H350i May cause cancer by inhalation.
Repr. 1B: H360Fd May damage fertility. Suspected of damaging the unborn child.
STOT RE 1: H372 Causes damage to organs through prolonged or repeated exposure.

2.2 Label elements

This product is an article and therefore it does not require labelling according to regulations REACH/CLP.

2.3 Other hazards

Physico-chemical hazards

When cell is exposed to an external short-circuit, it will cause heat generation and ignition. The chemicals are contained within a sealed housing. There is only a risk of exposure if the battery is subject to mechanical or electrical misuse.

Human health dangers

Contains no ingredients with endocrine-disrupting properties.

Environmental hazards

Does not contain any PBT or vPvB substances.

Other hazards

Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is an article.

Range [%]	Substance
25 - 35	Lithium nickel dioxide
	CAS: 12031-65-1, EINECS/ELINCS: 620-400-4, EU-INDEX: 028-057-00-7
	GHS/CLP: Skin Sens. 1: H317 - STOT RE 1: H372 - Carc. 1A: H350i
1 - 5	Methyl propionate
	CAS: 554-12-1, EINECS/ELINCS: 209-060-4, EU-INDEX: 607-027-00-2
	GHS/CLP: Flam. Liq. 2: H225 - Acute Tox. 4: H312
1 - 5	Cobalt lithium dioxide
	CAS: 12190-79-3, EINECS/ELINCS: 235-362-0
	GHS/CLP: Repr. 1B: H360Fd
1 - 3	Lithium hexafluorophosphate
	CAS: 21324-40-3, EINECS/ELINCS: 244-334-7
	GHS/CLP: Acute Tox. 3: H301 - Skin Corr. 1A: H314 - Eye Dam. 1: H318 - STOT RE 1: H372

Comment on component parts

For full text of H-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Measures are only needed for damaged cells.

Inhalation

Remove the victim into fresh air and keep him calm.
In the event of symptoms seek medical treatment.

Skin contact

In case of contact with skin wash off immediately with soap and water.
Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Consult a doctor immediately.

Ingestion

Rinse out mouth and give plenty of water to drink.
Do not induce vomiting.
Consult a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Product is caustic.
Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

All extinguishing media are suitable but method must take into account the surrounding area to minimize dispersion.

Extinguishing media that must not be used

Full water jet

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.
Bursting batteries can be forcibly projected from a fire.

5.3 Advice for firefighters

Use self-contained breathing apparatus.
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Measures apply only to the damaged product.
Use personal protective equipment (protective gloves).

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up mechanically.

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

The data of the manufacturer concerning the loading and unloading parameters and the recommended temperature ranges are to be considered.

Do not eat, drink, smoke or take drugs at work.

Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Store in a dry place.

Protect from heat/overheating.

Storage: 20 - 30°C

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

Substance / EC LIMIT VALUES
Lithium hexafluorophosphate
CAS: 21324-40-3, EINECS/ELINCS: 244-334-7
Eight hours: 2,5 mg/m ³ , F

8.2 Exposure controls

Additional advice on system design Measures apply only to the damaged product.
Ensure adequate ventilation on workstation.

Eye protection safety glasses (EN 166:2001)

Hand protection 0,7 mm; Butyl rubber, >480 min (EN 374-1/-2/-3).

Skin protection Protective clothing (EN 340)

Other Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.

Respiratory protection Short term: combination filter A-P3. (DIN EN 14387)

Thermal hazards none

Delimitation and monitoring of the environmental exposition Protect the environment by applying appropriate control measures to prevent or limit emissions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Form	Battery
Color	various
Odor	odourless
Odour threshold	not applicable
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point or initial boiling point and boiling range [°C]	not applicable
Flash point [°C]	not applicable
Flammability	not applicable
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not applicable
Density [g/cm ³]	not determined
Relative density	not determined
Bulk density [kg/m ³]	not applicable
Solubility in water [g/L]	not applicable
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	not applicable
Kinematic viscosity	not applicable
Relative vapour density	not applicable
Melting point [°C]	not determined
Auto-ignition temperature [°C]	not determined
Decomposition temperature [°C]	not determined
Particle characteristics	not applicable

9.2 Other information

9,62 Wh; 2600 mAh; 3,7 V

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

When cell is exposed to an external short-circuit, it will cause heat generation and ignition. Heating leads to a risk of bursting and of electrolyte fluid escaping. Avoid mechanical and electrical misuse.

10.4 Conditions to avoid

Heating > 80°C

10.5 Incompatible materials

Strong oxidizing agent.
Strong acid or base solution.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product
ATE-mix, oral, > 2000 mg/kg
Substance
Lithium hexafluorophosphate, CAS: 21324-40-3
LD50, oral, Rat, > 50 - 300 mg/kg (Lit.)
ATE, oral, 100 mg/kg (category 3)
Cobalt lithium dioxide, CAS: 12190-79-3
LD50, oral, Rat, > 5000 mg/kg
Lithium nickel dioxide, CAS: 12031-65-1
LD50, oral, Rat, > 2000 mg/kg

Acute dermal toxicity

Product
dermal, Based on the available information, the classification criteria are not fulfilled.
Substance
Cobalt lithium dioxide, CAS: 12190-79-3
LD50, dermal, Rat, > 2000 mg/kg

Acute inhalational toxicity

Product
inhalative, Based on the available information, the classification criteria are not fulfilled.
Substance
Cobalt lithium dioxide, CAS: 12190-79-3
LC50, inhalativ (dust), Rat, > 5,05 mg/l, 4h

Serious eye damage/irritation

Risk of serious damage to eyes.
Based on the available information, the classification criteria are fulfilled.
Calculation method

Substance
Lithium hexafluorophosphate, CAS: 21324-40-3
Eye, Causes serious eye damage.

Skin corrosion/irritation

Irritant
Based on the available information, the classification criteria are fulfilled.
Calculation method

Substance
Lithium hexafluorophosphate, CAS: 21324-40-3
dermal, corrosive

Respiratory or skin sensitisation

May cause an allergic skin reaction.
Based on the available information, the classification criteria are fulfilled.
Calculation method

Substance
Lithium hexafluorophosphate, CAS: 21324-40-3
dermal, non-sensitizing

Specific target organ toxicity — single exposure — Based on the available information, the classification criteria are not fulfilled.

Specific target organ toxicity — repeated exposure — May cause damage to organs through prolonged or repeated exposure.

repeated exposure Based on the available information, the classification criteria are fulfilled.
Calculation method

Substance
Lithium hexafluorophosphate, CAS: 21324-40-3
NOAEL, oral, Human, 0,133 mg/kg bw/day, The effects observed are not sufficient for classification.
NOAEC, inhalative, Human, 2 mg/m ³ , The effects observed are not sufficient for classification.

Mutagenicity Based on the available information, the classification criteria are not fulfilled.

Reproduction toxicity May damage fertility.
Suspected of damaging the unborn child.
Based on the available information, the classification criteria are fulfilled.
Calculation method

Carcinogenicity Suspected of causing cancer.
Based on the available information, the classification criteria are fulfilled.
Calculation method

Aspiration hazard Based on the available information, the classification criteria are not fulfilled.

General remarks
Toxicological data of complete product are not available.
The classification refers to the ingredients that are not available during normal use of the product.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties Contains no ingredients with endocrine-disrupting properties.

11.2.2 Other information none

SECTION 12: Ecological information

12.1 Toxicity

Substance
Lithium hexafluorophosphate, CAS: 21324-40-3
EC50, (48h), Daphnia magna, > 100 mg/l (Lit.)
EC50, (72h), Pseudokirchneriella subcapitata, > 100 mg/l (Lit.)
EC50, (3h), Activated sludge, > 1000 mg/l (Lit.)

12.2 Persistence and degradability

Behaviour in environment compartments No information available.

Behaviour in sewage plant No information available.

Biological degradability not determined

12.3 Bioaccumulative potential

Accumulation in organisms is not expected.

12.4 Mobility in soil

Spillages may penetrate the soil causing ground water contamination.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

For recycling, consult manufacturer.

Waste no. (recommended)

200134

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Waste no. (recommended)

150102

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID 3481

Inland navigation (ADN) 3481

Marine transport in accordance with IMDG 3481

Air transport in accordance with IATA 3481

14.2 UN proper shipping name

Transport by land according to ADR/RID Lithium Ion Batteries contained in equipment (Not subject of ADR in accordance to special provisions 188, Lithium-Ion-Batteries are tested according to 38.3 of the 'UN Manual of Tests and Criteria' for compliance)

- Classification Code

M4

- Label



- ADR LQ

0 kg

Inland navigation (ADN)

Lithium Ion Batteries contained in equipment (Not subject of ADR in accordance to special provisions 188, Lithium-Ion-Batteries are tested according to 38.3 of the 'UN Manual of Tests and Criteria' for compliance)

- Classification Code

M4

- Label



Marine transport in accordance with IMDG

Lithium ion batteries contained in equipment (No dangerous goods, according IMDG Special regulations 188)

- Label



- IMDG LQ

0 l

Air transport in accordance with IATA Lithium Ion Batteries contained in equipment (PI 967 Part 1)

- Label



14.3 Transport hazard class(es)

Transport by land according to ADR/RID 9

Inland navigation (ADN) 9

Marine transport in accordance with IMDG 9

Air transport in accordance with IATA 9

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 2024/573; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707

- **Comment on component parts** Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.

- **Annex XIV (REACH)** According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances $\geq 0.1\%$ that are subject to authorisation.

- **Annex XVII (REACH)** According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains $\geq 0.1\%$ of substances with the following restrictions. 27, 28, 40, 72, 75

TRANSPORT-REGULATIONS ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2025, 66th Edition)

NATIONAL REGULATIONS (EU):

- **Observe employment restrictions for people** no

- **VOC (2010/75/CE)** not relevant

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H318 Causes serious eye damage.
H314 Causes severe skin burns and eye damage.
H301 Toxic if swallowed.
H360Fd May damage fertility. Suspected of damaging the unborn child.
H312 Harmful in contact with skin.
H225 Highly flammable liquid and vapour.

H350i May cause cancer by inhalation.
H372 Causes damage to organs through prolonged or repeated exposure.
H317 May cause an allergic skin reaction.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
IVIS = In vitro irritation score
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV@TWA = Threshold limit value – time-weighted average
TLV@STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information

This document does not comply with Regulation (EC) No 1907/2006, article 31 (5) and may be used for internal purposes only.

Classification procedure

Skin Irrit. 2: H315 Causes skin irritation. (Calculation method)
Skin Sens. 1: H317 May cause an allergic skin reaction. (Calculation method)
Eye Dam. 1: H318 Causes serious eye damage. (Calculation method)
Carc. 1A: H350i May cause cancer by inhalation. (Calculation method)
Repr. 1B: H360Fd May damage fertility. Suspected of damaging the unborn child. (Calculation method)
STOT RE 1: H372 Causes damage to organs through prolonged or repeated exposure. (Calculation method)

Modified position

none

Copyright: Chemiebüro®